

King Crimper 1200 is the biggest and strongest crimping machine in Finn-Power production range.

The primary market is the oil & gas industry for crimping pipes, tubes and fittings.

The extremely large opening, enormous crimping force, the most advanced crimping control in the market, quick and precise joint, consistent repeatability, free placing of the operating unit and the remote control guarantees that there are no limitations to the possibilities of applications uses for the King Crimper 1200.



	1200
Crimping range (mm) ¹⁾	200-650
Crimping range (inch) ¹⁾	7.87-25.60
Max. crimping force (kN)	12 000
Max. crimping force (tonnage)	1200
Hose size ID (inch)	16
Die set ²⁾	P32 ⁴⁾ /FP160 ⁴⁾ /FP170
Max. opening (mm) ³⁾	+180
Master die D/L (mm)	640 / 300
Master die D/L (inch)	25.2 / 11.8
Control	UC
Motor (kW)	11
Motor (HP)	15.0
SIZE: length (mm)	3015 / 706
width (mm)	1345 / 1197
height (mm)	2291 / 1141
SIZE: length (inch)	118.7 / 27.8
width (inch)	53 / 47.1
height (inch)	90.2 / 44.9
Weight (kg)	12300 / 350
Weight (lbs)	27116 / 772

Options:
Foot pedal
UC1, UC2, UC3

- 1) With standard dies. Crimping range can be increased with special dies.
- 2) See table for die set data
- 3) Maximum opening is the total die travel. Add this value to the minimum crimping diameter of the die set used. The result is the maximum opening of the machine with die set in place.
- 4) With adapter dies

